NASA/TM-2000-209891, Vol. 221



Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Sara K. Conrad, Editors

Volume 221 BOREAS TGB-1 NSA SF₆ Chamber Flux Data

P. Crill and R.K. Varner

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION.
 English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at http://www.sti.nasa.gov/STI-homepage.html
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to:
 NASA Access Help Desk
 NASA Center for AeroSpace Information
 7121 Standard Drive

Hanover, MD 21076-1320

NASA/TM-2000-209891, Vol. 221



Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Sara K. Conrad, Editors

Volume 221 BOREAS TGB-1 NSA SF₆ Chamber Flux Data

Patrick Crill and Ruth K. Varner University of New Hampshire, Durham

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

	Available from:	
NIAGA Conton for A G T C		Ni-diamater distribution of the control of the cont
NASA Center for AeroSpace Information		National Technical Information Service
7121 Standard Drive		5285 Port Royal Road
Hanover, MD 21076-1320		Springfield, VA 22161
Drice Code: A17		Del - C 1 - A 10
Price Code: A17		Price Code: A10

BOREAS TGB-1 NSA SF₆ Chamber Flux Data

Patrick M. Crill, Ruth K. Varner

Summary

The BOREAS TGB-1 team made several chamber and tower measurements of trace gases at sites in the BOREAS NSA. This data set contains sulfur hexafluoride (SF₆) dark chamber flux measurements at the NSA-OJP and NSA-YJP sites from 16-May through 13-Sep-1994. Gas samples were extracted approximately every 7 days from dark chambers and analyzed at the NSA lab facility. The data are provided in tabular ASCII files.

Table of Contents

- 1) Data Set Overview
- 2) Investigator(s)
- 3) Theory of Measurements
- 4) Equipment
- 5) Data Acquisition Methods
- 6) Observations
- 7) Data Description
- 8) Data Organization
- 9) Data Manipulations
- 10) Errors
- 11) Notes
- 12) Application of the Data Set
- 13) Future Modifications and Plans
- 14) Software
- 15) Data Access
- 16) Output Products and Availability
- 17) References
- 18) Glossary of Terms
- 19) List of Acronyms
- 20) Document Information

1. Data Set Overview

1.1 Data Set Identification

BOREAS TGB-01 NSA SF₆ Chamber Flux Data

1.2 Data Set Introduction

Chamber flux measurements were taken at the BOReal Ecosystem Atmosphere Study (BOREAS) Northern Study Area (NSA) Old Jack Pine (OJP) and Young Jack Pine (YJP) sites during the summer of 1994. The purpose of these measurements was to examine the trace gas exchange between the atmosphere and the boreal soils. The following is a description of the acquisition of data and the final data sets.

1.3 Objective/Purpose

Chamber fluxes were measured at the OJP and YJP sites in the NSA to determine the soil surface exchange rates of SF₆.

1.4 Summary of Parameters

SF₆ chamber fluxes were measured at the NSA OJP and YJP sites. Temperatures of the chamber, 1-cm soil depth, and 10-cm soil depth were recorded at the OJP and YJP sites.

1.5 Discussion

The chamber flux data included in SF6_flux.txt includes the SF₆ tracer study that was completed at the OJP and YJP aluminum chamber and collar sites.

1.6 Related Data Sets

BOREAS TGB-01 Soil CH4 and CO2 Profile Data from NSA Tower Sites BOREAS TGB-01 NSA CH4 and CO2 Chamber Flux Data BOREAS TGB-01 CH4 Concentration and Flux Data from NSA Tower Sites BOREAS TGB-03 CH4 and CO2 Chamber Flux Data over NSA Upland Sites BOREAS TGB-03 Dissolved Organic Carbon Data from the NSA

2. Investigator(s)

2.1 Investigator(s) Name and Title

Dr. Patrick M. Crill Research Associate Professor University of New Hampshire

2.2 Title of Investigation

Magnitude and Control of Trace Gas Exchange in Boreal Ecosystems

2.3 Contact Information

Contact 1:

Dr. Patrick M. Crill Institute for the Study of Earth, Oceans, and Space Complex Systems Research Center University of New Hampshire Durham, NH 03824 (603) 862-3519 (603) 862-0188 (fax)

Contact 2:

Sadredin C. Moosavi Graduate Student Institute for the Study of Earth, Oceans, and Space Complex Systems Research Center University of New Hampshire Durham, NH 03824 (603) 862-2927 (603) 862-0188 (fax)

Contact 3:

Ruth K. Varner Research Scientist Institute for the Study of Earth, Oceans, and Space Complex Systems Research Center University of New Hampshire Durham, NH 03824 (603) 862-2939 (603) 862-0188 (fax)

Contact 4:

Jeffrey A. Newcomer Raytheon ITSS Code 923 NASA GSFC Greenbelt, MD 20771 (301) 286-7858 (301) 286-0239 (fax) Jeffrey.Newcomer@gsfc.nasa.gov

3. Theory of Measurements

None given.

4. Equipment

4.1 Sensor/Instrument Description

SF₆ was quantified using a Shimadzu GC-8A Gas Chromatograph (GC) equipped with an electron capture detector (ECD). The oven temperature during sample analysis was run at 130 °C and the detector at 300 °C. Ultra-high-purity 5% CH₄/95% Argon carrier gas was used at a flow rate through the columns of 30 mL/min. Analog signals (0-1 V) from the detectors were digitized at 10 Hz with a Hewlett Packard (HP) 35000D A/D board and quantified and logged using HP ChemStation software. Chamber fluxes were accomplished with aluminum chambers manufactured at the University of New Hampshire and designed by Patrick Crill.

4.1.1 Collection Environment

The chamber fluxes were collected under ambient conditions. The GC analysis was completed at the Hayes Road Lab in Thompson, Manitoba.

4.1.2 Source/Platform

Ground.

4.1.3 Source/Platform Mission Objectives

The mission objective was to determine the diffusion rate of SF_6 at OJP and YJP.

4.1.4 Key Variables

The key variables measured during the fluxes were SF₆ diffusion rate and temperature.

4.1.5 Principles of Operation

SF₆ was quantified using a Shimadzu GC8A equipped with an ECD. When the carrier gas, CH₄-Ar, flows into a cell containing 63Ni, it is ionized by the radiation from this radioisotope. When a pulsed voltage is applied across the cell electrodes, an ion current flows.

When the carrier gas brings a sample into contact with the cell, the electron affinitive compounds in the sample capture the free electrons and become negative ions. These negative ions combine with positive ions in the flow and subsequently decrease the ion concentration and therefore the current. This change is measured by the detector and compared to a reference current, pure carrier gas (Instruction Manual: GC-8A, Shimadzu Corporation, Kyoto, Japan).

4.1.6 Sensor/Instrument Measurement Geometry

Not applicable.

4.1.7 Manufacturer of Sensor/Instrument

Manufacturer of GC-14A FID/TCD, GC-MINI2, and GC-8A ECD Shimadzu Scientific Instruments, Inc. 7102 Riverwood Drive Columbia, MD 21046 (410) 381-1227

4.2 Calibration

Signal peaks from the detectors were quantified with working standards calibrated against Canadian Atmospheric Environment Services (AES) certified primary standards acquired by the BOREAS project. Uncertainty in the standards' analyses on a given day ranged from 0.1 to 0.2%.

4.2.1 Specifications

Not applicable.

4.2.1.1 Tolerance

The sensitivity of the ECD is 0.2 pg for gamma BHC.

4.2.2 Frequency of Calibration

The instrument is calibrated on a daily basis. Standards are run generally before and after samples on a given day of analysis.

4.2.3 Other Calibration Information

Not applicable.

5. Data Acquisition Methods

The chamber fluxes are determined by analysis of concentration of SF_6 in a time series of grab samples of headspace over the ground surface enclosed by a dark aluminum chamber. At time zero, 5 mL of SF_6 stock was added to the chamber headspace. The stock mixture is $10 \,\mu\text{L}$ SF_6 diluted into $60 \,\text{ml}$ of air so the mixing ratio is approximately $167 \,\text{ppmv}$ SF_6 . The headspace concentration is equal to about $12 \,\text{ppbv}$ after the injection of the stock. The volume of the two aluminum chambers was $0.071 \,\text{and}$ $0.120 \,\text{m}^3$ over an area of $0.397 \,\text{m}^2$. The aluminum chamber was placed on the trough of an aluminum collar embedded in the ground. Water was added to the trough of the collar to create an airtight seal. The volume of the plastic chambers was $0.028 \,\text{m}^3$ over an area of $0.078 \,\text{m}^2$. The seal between the chamber and collar was made using weather stripping or water as appropriate. Five $60 \,\text{-mL}$ samples were removed from the headspace with polypropylene syringes and polycarbonate/nylon stopcocks at $4 \,\text{-minute}$ intervals for $20 \,\text{minutes}$ (five samples). Samples were returned to the Hayes Road lab and analyzed for SF_6 using gas chromatography within $12 \,\text{hours}$ after collection.

6. Observations

6.1 Data Notes

None given.

6.2 Field Notes

None given.

7. Data Description

7.1 Spatial Characteristics

Not applicable.

7.1.1 Spatial Coverage

The North American Datum of 1983 (NAD83) coordinates of the sites are:

NSA OJP: (55.92842° N, 98.62396° W) NSA YJP: (55.89575° N, 98.28706° W)

7.1.2 Spatial Coverage Map

Not applicable.

7.1.3 Spatial Resolution

These are point source measurements.

7.1.4 Projection

Not applicable.

7.1.5 Grid Description

Not applicable.

7.2 Temporal Characteristics

7.2.1 Temporal Coverage

The chamber fluxes were taken approximately every 7 days from 16-May-1994 through 13-Sep-1994.

7.2.2 Temporal Coverage Map

Not applicable.

7.2.3 Temporal Resolution

Not applicable.

7.3 Data Characteristics

7.3.1 Parameter/Variable

The parameters contained in the data files on the CD-ROM are:

7.3.2 Variable Description/Definition

The descriptions of the parameters contained in the data files on the CD-ROM are:

Column Name	Description
SITE_NAME	The identifier assigned to the site by BOREAS, in the format SSS-TTT-CCCCC, where SSS identifies the portion of the study area: NSA, SSA, REG, or TRN; TTT identifies the cover type for the site (999 if unknown); and CCCCC is the identifier for the site (exactly what it means will vary with site type).
SUB_SITE	The identifier assigned to the subsite by BOREAS, in the format GGGGG-IIIII, where GGGGG is the group associated with the subsite instrument (e.g. HYD06 or STAFF), and IIIII is the identifier for the subsite (often this will refer to an instrument).
DATE_OBS	The date on which the data were collected.
COLLAR_ID	A Trace Gas Biogeochemistry (TGB)01 designation for the chamber collar sites, in the form of A-BBB-##, where A = C or M (Crill or Moosavi), BBB denotes the site, and possibly microtopographic designation, and ## is a sequention collar number.
CHAMBER_TEMP	Temperature of the chamber used to determine the SF6 flux.
SF6_RATE	The SF6 diffusion rate (K).
COVER_TYPE	The dominant species, vegetation or type of land cover that exists at the location.
CRTFCN_CODE	The BOREAS certification level of the data. Examples are Checked by PI (CPI), Certified by Group (CGR), Preliminary (PRE), and CPI but but questionable (CPI-???).
REVISION_DATE	The most recent date that the information in the referenced data base table record was revised.

7.3.3 Unit of Measurement

The measurement units for the parameters contained in the data files on the CD-ROM are:

Column Name	Units		
CTEE NAME	[mana]		
SITE_NAME	[none]		
SUB_SITE	[none]		
DATE_OBS	[DD-MON-YY]		
COLLAR_ID	[none]		
CHAMBER_TEMP	[degrees Celsius]		
SF6_RATE	[minute-1]		
COVER_TYPE	[none]		
CRTFCN_CODE	[none]		
REVISION_DATE	[DD-MON-YY]		

7.3.4 Data Source

The sources of the parameter values contained in the data files on the CD-ROM are:

Column Name	Data Source
SITE_NAME	Not applicable
SUB_SITE	Not applicable
DATE_OBS	Investigator
COLLAR_ID	Investigator
CHAMBER_TEMP	Thermometer
SF6_RATE	Shimadzu GC8A
COVER_TYPE	Investigator
CRTFCN_CODE	Not applicable
REVISION_DATE	Not applicable

7.3.5 Data Range

The following table gives information about the parameter values found in the data files on the CD-ROM.

	Minimum	Maximum	Missng	Unrel	Below	Data
	Data	Data	Data	Data	Detect	Not
Column Name	Value	Value	Value	Value	Limit	Cllctd
SITE_NAME	NSA-OJP-FLXTR	NSA-YJP-FLXTR	None	None	None	None
SUB_SITE	TGB01-FLX01	TGB01-FLX01	None	None	None	None
DATE_OBS	30-JUL-94	10-SEP-94	None	None	None	None
COLLAR_ID	C-OJP-ua-01	C-YJP-ul-04	None	None	None	None
CHAMBER_TEMP	9.6	27.5	None	None	None	None
SF6_RATE	-0.1589	-0.0034	None	None	None	None
COVER_TYPE	N/A	N/A	None	None	None	None
CRTFCN_CODE	CPI	CPI	None	None	None	None
REVISION_DATE	02-JAN-97	02-JAN-97	None	None	None	None

Minimum Data Value -- The minimum value found in the column.

Maximum Data Value -- The maximum value found in the column.

Missng Data Value -- The value that indicates missing data. This is used to

indicate that an attempt was made to determine the parameter value, but the attempt was unsuccessful.

Unrel Data Value -- The value that indicates unreliable data. This is used to indicate that an attempt was made to determine the

parameter value, but the analysis personnel deemed the value to be unreliable.

Below Detect Limit -- The value, that indicates parameter values below the instruments detection limits. This is used to indicate that an attempt was made to determine the parameter value, but the analysis personnel determined that the parameter value was below the detection limit of the instrumentation.

Data Not Cllctd -- This value indicates that no attempt was made to determine the parameter value. This usually indicates that BOREAS Information System (BORIS) staff combined several similar but not identical data sets into the same data base table but this particular science team

did not measure that parameter.

Blank -- Indicates that blank spaces are used to denote that type of value. N/A -- Indicates that the value is not applicable to the respective column. None -- Indicates that no values of that sort were found in the column.

7.4 Sample Data Record

The following are wrapped versions of data records from a sample data file on the CD-ROM.

```
SITE_NAME,SUB_SITE,DATE_OBS,COLLAR_ID,CHAMBER_TEMP,SF6_RATE,COVER_TYPE,
CRTFCN_CODE,REVISION_DATE
'NSA-OJP-FLXTR','TGB01-FLX01',30-JUL-94,'C-OJP-ul-02',24.4,-.0163,'Lichen','CPI',
02-JAN-97
'NSA-OJP-FLXTR','TGB01-FLX01',01-SEP-94,'C-OJP-ul-03',22,-.067,'Lichen','CPI',
02-JAN-97
'NSA-OJP-FLXTR','TGB01-FLX01',03-SEP-94,'C-OJP-ul-03',19,-.0182,'Lichen','CPI',
02-JAN-97
```

8. Data Organization

8.1 Data Granularity

The smallest unit of data tracked by BORIS is the measurement(s) made for a given site on a given day.

8.2 Data Format(s)

The Compact Disk-Read-Only Memory (CD-ROM) files contain American Standard Code for Information Interchange (ASCII) numerical and character fields of varying length separated by commas. The character fields are enclosed with single apostrophe marks. There are no spaces between the fields.

Each data file on the CD-ROM has four header lines of Hyper-Text Markup Language (HTML) code at the top. When viewed with a Web browser, this code displays header information (data set title, location, date, acknowledgments, etc.) and a series of HTML links to associated data files and related data sets. Line 5 of each data file is a list of the column names, and line 6 and following lines contain the actual data.

9. Data Manipulations

9.1 Formulae

$$\begin{aligned} R_f &= C_{std}/A_{std} \\ C_s &= R_f * A_s \end{aligned}$$

Where: $R_f = Response factor$

 A_{std} = Average of 10 standard peak areas

 C_{std} = Concentration of the standard C_s = Concentration of the sample

 A_s = Peak area of sample

 SF_6 concentrations were calculated from the average of 10 peak areas of known SF_6 standards. The response factor was calculated as the concentration of the known standard divided by the average of 10 standard peak areas. The peak area of the unknown sample was multiplied by the response factor.

The SF_6 rate (K) value was calculated by fitting a linear regression to the ln (natural logarithm) of the concentrations of SF_6 versus time. The regressions of the time series were expected to have an r^2 of greater than 0.85.

If -888 is present in the data set, it indicates that a measurement was taken but discarded for some reason. If -999 is present, then no data were taken.

9.1.1 Derivation Techniques and Algorithms

The K value measured for SF₆ is used to determine the rate of diffusion of CH₄ and CO₂ to the soil surface. The relationship can be seen from the following equation:

$$DSF_6/((mSF_6)^{1/2}) = Di/((mi)^{1/2})$$
 (Trumbore, 1995, and Rolston, 1991)

where: DSF_6 = measured diffusion of SF_6

 $mSF_6 > = molecular weight of SF_6 (146 g/mol)$

Di = unknown diffusion of substance i (CH₄ or CO₂)

mi = molecular weight of substance i (CH₄ = 16 g/mol; CO_2 = 44 g/mol)

From this information, given a known starting concentration of CO₂ and CH₄, one can calculate the diffusive flux to the surface:

$$Di * dCi/dz = Fd$$
 (Trumbore, 1995)

Where: DCi/dz = soil profile of gas i

Fd = diffusive flux

See Rolston (1991) and Trumbore (1995) for more detailed explanation of the methods and theory.

9.2 Data Processing Sequence

9.2.1 Processing Steps

None given.

9.2.2 Processing Changes

None.

9.3 Calculations

Not applicable.

9.3.1 Special Corrections/Adjustments

Not applicable.

9.3.2 Calculated Variables

Not applicable.

9.4 Graphs and Plots

None.

10. Errors

10.1 Sources of Error

The analytical precision of the GCs is 0.2% for CH₄ and 1% for CO₂.

10.2 Quality Assessment

10.2.1 Data Validation by Source

None given.

10.2.2 Confidence Level/Accuracy Judgment

None given.

10.2.3 Measurement Error for Parameters

The analytical precision of the GCs is 0.2% for CH₄ and 1% for CO₂.

10.2.4 Additional Quality Assessments

None given.

10.2.5 Data Verification by Data Center

Data were examined for general consistency and clarity.

11. Notes

11.1 Limitations of the Data

The analytical precision of the GCs is 0.2% for CH₄ and 1% for CO₂.

11.2 Known Problems with the Data

None given.

11.3 Usage Guidance

None given.

11.4 Other Relevant Information

Not applicable.

12. Application of the Data Set

None given.

13. Future Modifications and Plans

This data set is in its final format.

14. Software

14.1 Software Description

Not applicable.

14.2 Software Access

Not applicable.

15. Data Access

The TGB-01 NSA SF₆ chamber flux data are available from the Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC).

15.1 Contact Information

For BOREAS data and documentation please contact:

ORNL DAAC User Services Oak Ridge National Laboratory P.O. Box 2008 MS-6407 Oak Ridge, TN 37831-6407

Phone: (423) 241-3952 Fax: (423) 574-4665

E-mail: ornldaac@ornl.gov or ornl@eos.nasa.gov

15.2 Data Center Identification

Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC) for Biogeochemical Dynamics http://www-eosdis.ornl.gov/.

15.3 Procedures for Obtaining Data

Users may obtain data directly through the ORNL DAAC online search and order system [http://www-eosdis.ornl.gov/] and the anonymous FTP site [ftp://www-eosdis.ornl.gov/data/] or by contacting User Services by electronic mail, telephone, fax, letter, or personal visit using the contact information in Section 15.1.

15.4 Data Center Status/Plans

The ORNL DAAC is the primary source for BOREAS field measurement, image, GIS, and hardcopy data products. The BOREAS CD-ROM and data referenced or listed in inventories on the CD-ROM are available from the ORNL DAAC.

16. Output Products and Availability

16.1 Tape Products

None.

16.2 Film products

None.

16.3 Other Products

These data are available on the BOREAS CD-ROM series.

17. References

17.1 Platform/Sensor/Instrument/Data Processing Documentation None.

17.2 Journal Articles and Study Reports

Bubier, J.L., T.R. Moore, L. Bellisario, N.T. Comer, and P.M. Crill. 1995. Ecological controls on methane emissions from a northern peatland complex in the zone of discontinuous permafrost. Manitoba, Canada. Global Biogeochemical Cycles 9: 455-470.

Crill, P.M., K.B. Bartlett, R.C. Harriss, E. Gorham, E.S. Verry, D.I. Sebacher, L. Madzer, and W. Sanner. 1988. Methane flux from Minnesota peatlands. Global Biogeochemical Cycles, 2, 371-384.

Daubenmire, R.F. 1968. Plant communities: a textbook of plant synecology. Harper and Row, New York, NY.

Moore, T.R. and N.T. Roulet. 1991. A comparison of dynamic and static chambers for methane emission measurements from subarctic fens. Atmosphere-Ocean, 29, 102-109.

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. 2000. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM.

Rolston, D.E., R.D. Glauz, G.L. Grundman, and D.T. Louie. 1991. Evaluation of an in situ method for measurement of gas diffusivity in surface soils. Soil Science Society of America Journal, 55, 1536-1542.

Roulet, N., S. Hardill, and N. Comer. 1991. Continuous measurement of the depth of water table (inundation) in wetlands with fluctuating surfaces. Hydrological Processes, 5, 399-403.

Roulet, N.T. 1991. Surface level and water table fluctuations in a subarctic fen. Arctic and Alpine Research, 23, 303-310.

Sellers, P. and F. Hall. 1994. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1994-3.0, NASA BOREAS Report (EXPLAN 94).

Sellers, P. and F. Hall. 1996. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1996-2.0, NASA BOREAS Report (EXPLAN 96).

Sellers, P., F. Hall, and K.F. Huemmrich. 1996. Boreal Ecosystem-Atmosphere Study: 1994 Operations. NASA BOREAS Report (OPS DOC 94).

Sellers, P., F. Hall, and K.F. Huemmrich. 1997. Boreal Ecosystem-Atmosphere Study: 1996 Operations. NASA BOREAS Report (OPS DOC 96).

Sellers, P., F. Hall, H. Margolis, B. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.G. Ryan, B. Goodison, P. Crill, K.J. Ranson, D. Lettenmaier, and D.E. Wickland. 1995. The boreal ecosystem-atmosphere study (BOREAS): an overview and early results from the 1994 field year. Bulletin of the American Meteorological Society. 76(9):1549-1577.

Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ranson, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzjarrald, P.G. Jarvis, S.T. Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland, and F.E. Guertin. 1997. BOREAS in 1997: Experiment Overview, Scientific Results and Future Directions. Journal of Geophysical Research 102(D24): 28,731-28,770.

Sjors, H. 1950. On the relation between vegetation and electrolytes in Swedish mire waters. Oikos, 2, 241-258.

Trumbore, S.E. 1995. Use of isotopes and tracers in the study of emissions and consumption of trace gases in terrestrial environments. In: Biogenic Trace Gases: Measuring Emissions from Soil and Water, edited by P.A. Matson, and R.C. Harriss, pp. 291-326, Blackwell, Oxford.

17.3 Archive/DBMS Usage Documentation None.

18. Glossary of Terms

None.

19. List of Acronyms

AES - Atmospheric Environment Services
ASCII - American Standard Code for Information Interchange

BOREAS - BOReal Ecosystem-Atmosphere Study

BORIS - BOREAS Information System

BP - Beaver Pond

CD-ROM - Compact Disk-Read-Only Memory

CMDL - Climate Monitoring and Diagnostics Laboratory

DAAC - Distributed Active Archive Center

ECD - Electron Capture Detector
EOS - Earth Observing System

EOSDIS - EOS Data and Information System

FID - Flame Ionization Detector

GC - Gas Chromatograph

GIS - Geographic Information System
GSFC - Goddard Space Flight Center
HTML - HyperText Markup Language
NAD83 - North American Datum of 1983

NASA - National Aeronautics and Space Administration

NSA - Northern Study Area
OBS - Old Black Spruce
OJP - Old Jack Pine

ORNL - Oak Ridge National Laboratory

PANP - Prince Albert National Park

SSA - Southern Study Area

TCD - Thermal Conductivity Detector
TGB - Trace Gas Biogeochemistry
URL - Uniform Resource Locator

YJP - Young Jack Pine

20. Document Information

20.1 Document Revision Date

Written:

Last Updated: 08-Jun-1999

20.2 Document Review Date(s)

BORIS Review: 04-Mar-1998 Science Review: 08-May-1998

20.3 Document ID

20.4 Citation

When using these data, please contact the investigators listed in Section 2.3 and cite any relevant papers in Section 17.2.

If using data from the BOREAS CD-ROM series, also reference the data as:

Crill, P.M., "Magnitude and Control of Trace Gas Exchange in Boreal Ecosystems." In Collected Data of The Boreal Ecosystem-Atmosphere Study. Eds. J. Newcomer, D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers. CD-ROM. NASA, 2000.

Also, cite the BOREAS CD-ROM set as:

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM. NASA, 2000.

20.5 Document Curator

20.6 Document URL

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

Bario riigiirray, Gaito 120 i, riiiiigtoii, 171 22202 io		- aportront rioddonon	r reject (er e r e ree), rraennigten, 2 e 2000.	
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED		
	November 2000	Techni	ical Memorandum	
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS	
Technical Report Series on the Bo	oreal Ecosystem-Atmosphere	e Study (BOREAS)		
BOREAS TGB-1 NSA SF ₆ C	hamber Flux Data		923	
0			RTOP: 923-462-33-01	
6. AUTHOR(S)			K10F. 923-402-33-01	
Patrick Crill and Ruth K. Var	ner			
Forrest G. Hall and Sara K. C	Conrad, Editors			
7. PERFORMING ORGANIZATION NAM	E(S) AND ADDRESS (ES)		8. PEFORMING ORGANIZATION REPORT NUMBER	
Goddard Space Flight Center			KEI OKI NOMBEK	
Greenbelt, Maryland 20771			2000-03136-0	
Greensen, Marylana 20771				
9. SPONSORING / MONITORING AGE	FNCV NAME(S) AND ADDRESS	(FS)	10. SPONSORING / MONITORING	
3. SI ONSORINA / MONITORINA AGI	TOT NAME(S) AND ADDRESS	(LS)	AGENCY REPORT NUMBER	
National Aeronautics and Space	e Administration		TM-2000-209891	
Washington, DC 20546-0001			Vol. 221	
11. SUPPLEMENTARY NOTES				
P. Crill and R.K. Varner: Univ	versity of New Hampshire	e, Durham;		
S.K. Conrad: Raytheon ITSS	· ·			
,				
12a. DISTRIBUTION / AVAILABILITY STA	ATEMENT		12b. DISTRIBUTION CODE	
Unclassified–Unlimited				
Subject Category: 43				
Report available from the NASA	A Center for AeroSpace Info	ormation,		
7121 Standard Drive, Hanover,	MD 21076-1320. (301) 62	1-0390.		
13. ABSTRACT (Maximum 200 words)				
10. ABOTICACT (Maximum 200 Words)				

The BOREAS TGB-1 team made several chamber and tower measurements of trace gases at sites in the BOREAS NSA. This data set contains sulfur hexafluoride (SF₆) dark chamber flux measurements at the NSA-OJP and NSA-YJP sites from 16-May through 13-Sep-1994. Gas samples were extracted approximately every 7 days from dark chambers and analyzed at the NSA lab facility. The data are provided in tabular ASCII files.

14. SUBJECT TERMS BOREAS, trace gas biogeochemistry.			15. NUMBER OF PAGES 14	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	